## **mira cleaning agents** cleaning, care, and maintenance of ceramic tile and natural stone

0

mira

Professional products for your tiles

mira

7230 Ceramic wash

mira

#### Professional products for care and maintenance of your tiles

There is nothing as nice as new clinker tiles for floors or a brandnew tiled bathroom. Therefore, it is of crucial importance to take good care of your tiles to make them appear new and clean as long as possible. This requires using the right care- and maintenance products and the right methods. The choice of care and cleaning products depends on the nature of the tile/natural stone. Please ask your supplier about what kind of tiles you bought. On page 7 you will find an overview that guides you in choosing the right care/cleaning method for the individual types of tiles and natural stone.



## 7110 base cleaner

#### **Effective detergent**

Removes oil, grease and dirt on ceramic tile and natural stone.

Used for cleaning all surfaces prior to further treatment and for cleaning before new care treatment.



Mixing ratio: 0.5 liter 7110 base cleaner to 8-10 liters of warm water.

Apply and work thoroughly with brush or a scrub pad. Should be allowed to work for 5-10 min.

The surface is then dried and rinsed with clean water. Using a vacuum cleaner, you will be sure that all dirt is removed. 7110 base cleaner is highly degreasing and therefore protective gloves are recommended.

7110 base cleaner may make glossy surfaces such as paint and varnish matte, however, can be used on such surfaces if they are subsequently coated with a topcoat.



### 7120 ceramic cleaner

#### **Effective detergent**

removes grout and laitance, lime and rust on ceramic tiles, natural stones, and sanitary wares.

# Do not apply on calcareous tiles such as marble.

4



#### Mixing ratio: 1 part 7120 ceramic cleaner to 2 parts water.

The mixture is thoroughly brushed into the surface with a not too soft brush or a scrub pad. Should be allowed to work for 2-5 min.

It is important to remove all residues afterwards, as it can dry into the surface and give a gray/ white film. Rinse with clean water. To ensure that all dirt is removed, it is recommended to use a vacuum cleaner.



#### **Neutral detergent**

for daily cleaning of ceramic tiles, natural stones, and sanitary ware.

7230 ceramic wash removes dirt and limescale on the surface and prevents moldy stained tiles and joints.

#### Mixing ratio: 0.1– 0.25 liter 7230 ceramic wash to 10 liters water.

The mixture is applied to the surface with sponge, cloth or mop and then dried off or rinsed with clean water.



## 7360 tile sealer

#### **Neutral impregnation**

For cement-based joints and absorbent tiles such as nonpolished natural stones, like marble, granite, limestone etc.

7360 tile sealer penetrates the surface and makes the tile more repellent to dirt, limestone, and liquid.

The surface must be clean, dry, and free of other coating.

6

Neutral

impregnation

makes the tile

repellent to dirt and liquid

#### Apply concentrated:

7360 tile sealer is applied with a viscose cloth or roller. It is evenly distributed onto the entire surface, in multiple directions to avoid stripes. After application, any excess 7360 tile sealer should be removed with a cloth or the like after 5-10 minutes. As some natural stones may get some depth colour, it is recommended to perform a test on a small area before treating the entire surface. During application, the surface gets a wet appearance which dries up within 2-3 days.

#### Where can it be used? overview of materials and products

Materials:	7110 base cleaner	<b>7120</b> ceramic cleaner	<b>7230</b> ceramic wash	<b>7360</b> tile sealer
Marble and other calcareous tiles without sur- face polishing and raw natural stone without surface coating.	Apply where surface is dirty with oil, dirt and greasy care products.	Do not apply on marble or other calcareous materials.	Suitable for daily washing and cleaning on all surfaces that are either surface treated or untreated. Removes daily dirt and soiling. For heavy load surfaces with heavy traf- fic, it may be necessary to thoroughly clean the sur- face with 7110 base cleaner and continue with treatment and cleaning routines seve- ral times a year.	Prevents to absorption in fine-grained structure of tile, both before and after grouting. For strongly absorbing surfaces, care must be taken that enough sealer is applied as later treatment is not possible.
Hard-burnt tiles and clinker without glaze, where surface often has a microstructure that allows some absorption into the pores. Terracotta, tile and the like, stable porous and absorbent materials. Sanitary wares, toilet, sink, bathtub, fixtures etc.		Removes laitance and limescale on tile surface, sanitary wares, and fixtures. Apply only in low resolution on enameled surfaces.		
Glazed tiles, clinker, mosaic, and polished natural stone/	er, mosaic, polished al stone/ Be careful when cleaning off <b>polished</b>			
marble.		Do not apply on polished marble.		

## **Right tools**

#### - are designed to ensure very good results

## Tips & Tricks!

- Floor-washing gives best result when washing- and rinsing water are kept in 2 separate buckets.
- Use mop for floor washing.
- For good-sized floor surfaces, we recommend using vacuum cleaner to remove dirty washing water from the floor surface

- The dry mop is ideal for light, daily cleaning of floor areas.
- Use a scrub pad for deep cleaning of particularly dirty areas.
- Viscose cloths do not flock and are therefore suitable for application of 7360 tile sealer.

# byggeprodukter a/s

Egegårdsvej 2, 4621 Gadstrup +45 46 19 19 46 · info@mira.eu.com www.mira.eu.com